


## **GALA-840XW**

### **8" 2-Way Coaxial Ceiling Speaker**

GALA X Series offers powerful and accurate coaxial loudspeakers with woofer diameters ranging from 5,25" to 8", and powers from 20W to 40W RMS. They can be used with standard 70/100V professional amplifiers, and provide transparent and brilliant sound. They are therefore suitable for any application of music distribution at higher volume levels. The housing of GALA X speakers is made of high quality ABS. They also feature 0.5" Mylar-dome tweeters, polypropylene enforced woofers, and aluminum removable grille, which make these speakers suitable for humid environments. Installation is very easy, thanks to the quick mounting system with 4 screws. These screws are hidden behind the grill, and offer an elegant and minimalist design. The built-in line transformers allow the use with 70/100V lines, and offer two power taps to better adapt to different speaker arrangement and amplifier powers. They come in white color, but can be painted in any color.



## PRODUCT DETAILS

### Key features

2-Way Coaxial Loudspeaker

---

8" (203mm) Woofer

---

40W RMS Power

---

High Excursion Polypropylene Woofer

---

Mylar-dome Precision Tweeter

---

Built-in 70/100V Line Transformer

---

Quick Mounting System

---

Paintable Grille and Frame

---

## Specifications

<b>Speaker Type</b>	2-Way Passive, Coaxial
<b>Line Voltage</b>	70V/100V
<b>Line Transformer</b>	Built-in, 2 power taps
<b>100V Power</b>	20W/40W
<b>70V Power</b>	10W/20W
<b>Frequency Response (-10dB)</b>	55Hz-18.5kHz
<b>Sensitivity (1w/1m)</b>	89dB
<b>Woofers</b>	8" (203 mm), PP cone
<b>Tweeter</b>	0.5" (13mm), Mylar dome
<b>Housing</b>	PP, paintable
<b>IP Rate (speaker installed)</b>	IP54
<b>Mounting</b>	Quick mounting system with 4 screws
<b>Grille</b>	Perforated steel with acoustic transparent foam inside, paintable
<b>Color</b>	White
<b>Cutout Size</b>	Ø 246 mm
<b>Product Size (WxDxH)</b>	Ø 276 x 105 mm
<b>Speaker Weight</b>	1.77 kg
<b>Packing Size (WxDxH)</b>	280 x 115 x 280 mm
<b>Packing Weight</b>	2 kg